# New Dacia Sandero



Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Dacia Cyprus reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications, equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given. It is therefore necessary to check with your Dacia Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised. Publication date January 2017. CHARTERHOUSE.

Showrooms Number - Tel: 77 77 77 01 Workshops Number - Tel: 77 77 11 12 Spare Parts Number - Tel: 77 77 21 22







## Welcome to Dacia

You've probably realised by now, but we're not your usual car brand. We began with the dream that more people should have the opportunity to own a new car. To make it a reality we created a range that combines space and quality at an unbelievable price. We believe in function over frivolity and that by being simple, reliable and smart we can make a real difference.

Dacias are cleverly designed, reassuringly robust and incredibly reliable. They're also shockingly affordable because we only ask drivers to pay for what they need, not the fancy extras they'll never use. It's an approach that has rewarded us with incredible growth across Europe since 2004 and won us more awards than we know what to do with.

We hope you like what you see and will join us in the Dacia family.



### Our awards

We don't tend to make a song and dance about our cars. It's not our way. But that's fine, because lots of people are happy to do it for us.

When it launched in the UK in 2013, the Dacia Sandero won the What Car? Best Small Car Under £12,000 award. It's gone on to win it every single year since.

Dacia's been voted 4th best car brand from 32 other brands in the most recent Auto Express, Driver Power Survey, and has been in the top five since 2014. In the same survey, Dacia Logan MCV was voted the best family car. Not too shabby eh?

Dacia was also voted the 4th most reliable car brand in the 2016 Which? Car Survey – receiving a 90% satisfaction score based on feedback from more than 59,000 UK car owners reliability survey.

Dacia was awarded a Silver Award in the recent Auto Express Driver Power survey for Dealer Aftersales Service Satisfaction showing our commitment to customer service.

It just goes to show – if you refuse to compromise, anything is possible.



















Silver Winner

# Dacia

# Introducing New Dacia Sandero

Like attractive design? Need a spacious interior? Want modern technology, but don't want to break the bank? Say hello to New Dacia Sandero.

#### Big car features, big space.

Beneath its svelte form lies ample space for five adults. A split-folding rear seat and 320 litre boot make transporting luggage simple. Electronic Stability Control, anti-lock brakes and four front airbags ensure safety as standard. New styling features are also bound to impress; including restyled front and rear bumpers, new front grille, and LED day time running lights. Air conditioning is now standard from Ambiance trim - giving you what you need.

#### Big car technology.

Want cutting-edge design that's also intuitive to use? No problem. Lauréate trim is for you: the MediaNav fully-integrated touchscreen multimedia system, featuring Bluetooth $^{\circ}$ ^ connectivity and satellite navigation, is standard; and rear parking sensors will give you that added peace of mind about town. With a new and improved interior, you can now also experience DAB radio on all trim levels (except Access). Then, there's the state-of-the-art TCe 90 3-cylinder petrol engine (available on Ambiance Trim and above), which combines impressive performance with frugal fuel consumption and  $CO_2$  emissions of just 109 g/km $^*$ . Which means savings for you and the environment.

<sup>\*</sup>Figures are obtained for comparative purposes in accordance with EU Legislation and may not reflect real life driving results.



<sup>^</sup>For compatible devices, please refer to http://www.dacia.co.uk/owner-services/multimedia/

# Colours

## Wheels

#### SOLID

#### METALLIC



Glacier White (369)



Cinder Red (B76)



Cosmos Blue (RPR)



Mercury (D69)



Pearl Black (676)



Slate Grey (KNA)



Chestnut (CNG)



Mink (CNM)

		<u> </u>		
Colour Code	Commercial Name	Access	Ambiance	Lauréate
SOLID				
369	Glacier White	•	•	•
METALLIC				
B76	Cinder Red	-	0	0
RPR	Cosmos Blue	-	0	0
D69	Mercury	-	0	0
676	Pearl Black	-	0	0
KNA	Slate Grey	-	0	0
CNG	Chestnut	-	0	0
CNM	Mink	-	0	0



15" Tarkine steel wheels



15" Lassen steel wheels



15" Sagano alloy wheels



16" Taiga alloy wheels

• = Standard O = Optional - = Not available

	Access	Ambiance	Lauréate
15" Tarkine steel wheels	•	•	-
15" Lassen steel wheels	-	-	•
15" Sagano alloy wheels	-	-	0
16" Taiga alloy wheels	-	-	0

# Interiors and Upholstery

#### ACCESS



Black 'Cerite' cloth upholstery

#### **AMBIANCE**



Black 'Cerite' cloth upholstery

#### LAUREATE



Dark Carbon 'Indite' cloth upholstery with optional armrest

# MediaNav

Dacia's on-board touch screen tablet MediaNav provides access to useful and practical features including: navigation, media from multiple sources and handsfree telephone using Bluetooth® technology\*. Enjoy stress free travel with Dacia MediaNav. Standard on Lauréate trim.



Navigation

Provided by Navteq with vocal guidance.



Radio

Listen to DAB, FM or AM radio.



Phone

Bluetooth® technology\* allows you to make and receive calls on the move.



Music


Connect devices via USB and AUX sockets.

# Technical Specifications

		SCe 75	TCe 90	dCi 90
	Engine type	B4D 411	H4B 408	K9K 626
	Type Mine	5SDMC5	5SDL15	5SDKJ5
	Cubic capacity (cm3)	998	898	1,461
	Number of cylinders/valves	3 in line / 12	3 in line / 12	4 in line / 8
CNCINC	Fuel	Unleaded petrol	Unleaded petrol	Diesel
ENGINE	Fuel injection type	Multipoint sequential	Multipoint sequential	Commonrail direct + multipoint injection
	Aspiration	Naturally-aspirated	Turbocharged	Turbocharged
	Particulate filter (PF)	-	-	Standard
	Bore x Stroke (mm)	71 x 84	72.2 x 73.1	76.0 x 80.5
	Compression ratio	11	9.5	15.5
	Peak power KW (HP) @ RPM	54 (73) @ 6,300	66 (90) @ 5,000	66 (90) @ 4,000
	Peak torque (Nm) @ RPM	97 @ 3,500	140 @ 2,250	220 @ 1.750
	Stop and Start	No	Yes	Yes
	Maximum Speed mph (km/h)	98 (158)	109 (175)	107 (173)
	0- 62 mph - secs (0-100 km/h)	14.2	11.1	11.8
PERFORMANCE	0 - 400m (secs)	19.5	17.5	18.2
	0 - 1000m (secs)	36.0	32.8	33.7
-	CO₂ (g/km)	117	109	90
FUEL CONSUMPTION*	Urban cycle - mpg (I/100 km)	43.5 (6.5)	48.7 (5.8)	76.4 (3.7)
	Extra-urban cycle - mpg (I/100km)	62.7 (4.5)	65.7 (4.3)	83.1 (3.4)
AND EMISSIONS	Combined cycle - mpg (1/100km)	54.3 (5.2)	57.6 (4.9)	80.7 (3.5)
	Drive type	Front-wheel drive	Front-wheel drive	
	Gearbox type/index	JHQ/372	JH3/351	Front-wheel drive JR5/373
	Number of forward gears			
			5 4.21	5 5.98
GEARBOX	Vehicle speeds (mph) per 1000 rpm: in 1st gear	3.95		
	Vehicle speeds (mph) per 1000 rpm: in 2nd gear	7.19	8.02	11.40
	Vehicle speeds (mph) per 1000 rpm: in 3rd gear	10.57	12.73	18.08
	Vehicle speeds (mph) per 1000 rpm: in 4th gear	14.30 18.53	17.37 23.79	24.69
	Vehicle speeds (mph) per 1000 rpm: in 5th gear			33.81
CTCCDING	Steering type	Power-assisted (Hydraulic)	Power-assisted (Hydraulic)	Power-assisted (Hydraulic)
STEERING	Turning circle between pavements / walls (m)	10.68	10.68	10.68
	Number of turns (lock-to-lock)	3.2	3.2	3.2
SUSPENSION	Front suspension type	5	Pseudo McPherson with triangular arm	
אוסוכאום וכפכ	Rear suspension type		ble axle with programmed deflection and coi	l springs
WHEELS / TYRES	Wheel size	6)15	6)15	6)15
	Tyre specification	185/65/R1588T	185/65/R1588T	185/65/R1588T
BRAKING	Front: Discs - diameter (mm) / thickness (mm)	258 / 22	258 / 22	258 / 22
	Rear: Diameter (inches)	8	8	8
	Anti-lock Braking System (ABS)	Standard	Standard	Standard
	Electronic Brakeforce Distribution (EBD)	Standard	Standard	Standard
	Emergency Brake Assist (EBA)	Standard	Standard	Standard
	ESC (Electronic Stability Control)	Standard	Standard	Standard
FUEL TANK CAPACITY	Fuel tank capacity (litres)	50	50	50
WEIGHT	Kerb Weight (Excluding Driver) (kg)	969	980	1,085
	Unladen weight on front axle (kg)	578	603	689
	Unladen weight on rear axle (kg)	391	377	396
	Gross vehicle weight (kg)	1,490	1,515	1,595
	Gross train weight (kg)	2,280	2,295	2,355
	Max payload (kg)	521	535	510
TOWING CAPACITY	Max braked trailer (within gross train weight limit) (kg)	1,090	1,080	1,060
	Max unbraked trailer (kg)	520	525	580
	\ J/			

<sup>\*</sup> Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk. For more information on CO<sub>2</sub> banding and Company Car Tax Benefit in Kind go to www.renault.co.uk

# Dimensions







B - Overall bodywork length C - Front overhang B - Overall bodywork length C - Front overhang B - Rear overhang B - Rear overhang B - Front track C - Front track C - Front track C - Front track C - Ground clearance C -	EXTERIOR DIMENSIONS (mm)	
C - Front overhang D - Rear overhang 653 E - Front track 1.496 F - Rear track 1.486 G - Ground clearance 132 H - Unladen height 1.519 H1 - Unladen sill height 761 H2 - Rear tailgate height 622 Unladen height with hatchback open 2.003 J1 - Front Shoulder width 1.387 J2 - Rear Shoulder width 1.393 K - Rear knee room 144 L1 - Overall width with odor mirrors 1.733 L2 - Overall width with door mirrors 1.994 L3 - Interior width between wheel arches 900 M2 - Distance between hip joint and ceiling in front seats 900 M2 - Distance between hip joint and ceiling in rear seats 901 - Front elbow room 1.432 Y1 - Loading length, rear seat in place Height beneath parcel shelf	A - Wheelbase	2,589
D - Rear overhang       653         E - Front track       1,496         F - Rear track       1,486         G - Ground clearance       132         H - Unladen height       1,519         H1 - Unladen sill height       761         H2 - Rear tailgate height       622         Unladen height with hatchback open       2,003         J1 - Front Shoulder width       1,387         J2 - Rear Shoulder width       1,393         K - Rear knee room       144         L1 - Overall width without door mirrors       1,733         L2 - Overall width with door mirrors       1,994         L3 - Interior width between wheel arches       1,005         M1 - Distance between hip joint and ceiling in front seats       900         M2 - Distance between hip joint and ceiling in rear seats       881         O1 - Front elbow room       1,415         O2 - Rear elbow room       1,432         Y1 - Loading length, rear seat in place       756         Height beneath parcel shelf       469	B - Overall bodywork length	4,069
E - Front track  1,496  F - Rear track  1,486  G - Ground clearance  132  H - Unladen height  1,519  H1 - Unladen sill height  761  H2 - Rear tailgate height  622  Unladen height with hatchback open  2,003  J1 - Front Shoulder width  1,387  J2 - Rear Shoulder width  1,393  K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,733  L2 - Overall width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  91  O1 - Front elbow room  1,415  O2 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  Height beneath parcel shelf	C - Front overhang	827
F - Rear track G - Ground clearance 1 32 H - Unladen height 1 ,519 H1 - Unladen sill height 761 H2 - Rear tailgate height 6 22 Unladen height with hatchback open 2,003 J1 - Front Shoulder width 1,387 J2 - Rear Shoulder width 1,393 K - Rear knee room 144 L1 - Overall width without door mirrors 1,733 L2 - Overall width with door mirrors 1,994 L3 - Interior width between wheel arches 1,005 M1 - Distance between hip joint and ceiling in front seats 900 M2 - Distance between hip joint and ceiling in rear seats 881 01 - Front elbow room 1,415 02 - Rear elbow room 1,432 Y1 - Loading length, rear seat in place 756 Height beneath parcel shelf	D - Rear overhang	653
G - Ground clearance 132 H - Unladen height 1,519 H1 - Unladen sill height 761 H2 - Rear tailgate height 622 Unladen height with hatchback open 2,003 J1 - Front Shoulder width 1,387 J2 - Rear Shoulder width 1,393 K - Rear knee room 144 L1 - Overall width without door mirrors 1,733 L2 - Overall width with door mirrors 1,994 L3 - Interior width between wheel arches 1,005 M1 - Distance between hip joint and ceiling in front seats 900 M2 - Distance between hip joint and ceiling in rear seats 881 O1 - Front elbow room 1,415 O2 - Rear elbow room 1,432 Y1 - Loading length, rear seat in place 756 Height beneath parcel shelf 469	E - Front track	1,496
H - Unladen height  H - Unladen sill height  761  H2 - Rear tailgate height  622  Unladen height with hatchback open  2,003  J1 - Front Shoulder width  1,387  J2 - Rear Shoulder width  1,393  K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  Height beneath parcel shelf  469	F - Rear track	1,486
H1 - Unladen sill height  H2 - Rear tailgate height  622  Unladen height with hatchback open  2,003  J1 - Front Shoulder width  1,387  J2 - Rear Shoulder width  1,393  K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf	G - Ground clearance	132
H2 - Rear tailgate height  G22  Unladen height with hatchback open  Z,003  J1 - Front Shoulder width  1,387  J2 - Rear Shoulder width  1,393  K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  O1 - Front elbow room  1,415  O2 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf	H - Unladen height	1,519
Unladen height with hatchback open  2,003  J1 - Front Shoulder width  1,387  J2 - Rear Shoulder width  1,393  K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf  469	H1 - Unladen sill height	761
J1 - Front Shoulder width  J2 - Rear Shoulder width  1,393  K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  O1 - Front elbow room  1,415  O2 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf	H2 - Rear tailgate height	622
J2 - Rear Shoulder width  1,393  K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf	Unladen height with hatchback open	2,003
K - Rear knee room  144  L1 - Overall width without door mirrors  1,733  L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf  469	J1 - Front Shoulder width	1,387
L1 - Overall width without door mirrors  L2 - Overall width with door mirrors  L3 - Interior width between wheel arches  L3 - Interior width between wheel arches  L3 - Interior width between hip joint and ceiling in front seats  M1 - Distance between hip joint and ceiling in rear seats  M2 - Distance between hip joint and ceiling in rear seats  M3 - Front elbow room  L415  C2 - Rear elbow room  L432  Y1 - Loading length, rear seat in place  T56  Height beneath parcel shelf  469	J2 - Rear Shoulder width	1,393
L2 - Overall width with door mirrors  1,994  L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf  469	K - Rear knee room	144
L3 - Interior width between wheel arches  1,005  M1 - Distance between hip joint and ceiling in front seats  900  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf  469	L1 - Overall width without door mirrors	1,733
M1 - Distance between hip joint and ceiling in front seats  M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf  469	L2 - Overall width with door mirrors	1,994
M2 - Distance between hip joint and ceiling in rear seats  881  01 - Front elbow room  1,415  02 - Rear elbow room  1,432  Y1 - Loading length, rear seat in place  756  Height beneath parcel shelf  469	L3 - Interior width between wheel arches	1,005
O1 - Front elbow room 1,415 O2 - Rear elbow room 1,432 Y1 - Loading length, rear seat in place 756 Height beneath parcel shelf 469	M1 - Distance between hip joint and ceiling in front seats	900
O2 - Rear elbow room 1,432 Y1 - Loading length, rear seat in place 756 Height beneath parcel shelf 469	M2 - Distance between hip joint and ceiling in rear seats	881
Y1 - Loading length, rear seat in place 756 Height beneath parcel shelf 469	01 - Front elbow room	1,415
Height beneath parcel shelf 469	02 - Rear elbow room	1,432
3 1	Y1 - Loading length, rear seat in place	756
20071/01/105	Height beneath parcel shelf	469
BOOT VOLUME	BOOT VOLUME	
Maximum boot capacity with rear seats in place (litres) 320	Maximum boot capacity with rear seats in place (litres)	320
Maximum load capacity with rear seats folded down (litres) 1,200	Maximum load capacity with rear seats folded down (litres)	1,200

